


PURCHASE ORDER

Supplier : LIFELINE DIAGNOSTICS SUPPLIES INC.

P.O. Number: 2022083529

Address : QUEZON CITY



O20220835295B2499316

PhilGEPS Registration No. : 2003101887196914976

Tel./Fax No. : 632 83765917

Registration Certificate : DTI

Date : Jul 25, 2022

P.R. No. : 2022063701

Procurement mode: Competitive Bidding

Req. Office : PEEDO - DDN Blood Center

Gentlemen: Please furnish this office the following articles subject to terms and conditons contained herein:

Date of Delivery : _____ Payment Term : ON ACCOUNT

Place of Delivery : PEEDO DAVAO DEL NORTE BLOOD CENTER BLDG., (

Delivery Term: 10 Calendar Days

I.N.	Quantity/Unit	Item	Unit Cost	Amount
1	5.00 KITS	<p>MONOLISA HBsAg ULTRA; 480T</p> <ul style="list-style-type: none"> • Micro plate strips (Coated with monoclonal anti-HBs antibodies) • Concentrated washing solution • Negative control • Positive control • Conjugate diluent • Conjugate (Mouse monoclonal anti-HBs antibodies and goat polyclonal anti-HBs antibodies bound to the peroxidase. Lyophilized.) • Substrate buffer • Chromogen: TMB solution • Stopping solution 	40,600.00	203,000.00
2	5.00 KITS	<p>MONOLISA HCV Ag/Ab ULTRA V2, 480T</p> <ul style="list-style-type: none"> • Micro plate strips (Coated with monoclonal anti-capsid antibody of the HCV, purified recombinant hepatitis C antigens NS3, NS4 and a HCV capsid peptide) • Concentrated washing solution • Negative control • Antibody Positive control (Human serum containing antibodies to HCV) • Antigen positive control (Antigen positive control synthetic containing a lyophilized capsid peptide) • Antigen diluent 	135,000.00	675,000.00

FOR USE OF PEEDO DAVAO DEL NORTE BLOOD CENTER
LABORATORY FOR SECOND QUARTER

In case of failure to make the full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed.

I hereby conform that **NOTICE TO DELIVER** shall be served to the **PLACE OF DELIVERY** stated herein three (3) days before the actual delivery of the item/s covered by this Purchase Order.

Conforme :

Edwin T. Jubahib
(Signature over printed name)

Very truly yours,

Edwin T. Jubahib
EDWIN T. JUBAHIB
Governor

8/30/2022
(Date)

NOTE: This is an important paper and will cause great inconvenience if lost. Claim for payment from the Provincial Treasurer supported by this form to be attached to the voucher.

ALEJANDRO R. OMILA JR.

PURCHASE ORDER

Supplier : **LIFELINE DIAGNOSTICS SUPPLIES INC.**

P.O. Number: 2022083529

Address : **QUEZON CITY**



O20220835295B2499316

PhilGEPS Registration No. : **2003101887196914976**

Tel./Fax No. : **632 83765917**

Registration Certificate : **DTI**

Date : **Jul 25, 2022**

P.R. No. : **2022063701**

Procurement mode: **Competitive Bidding**

Req. Office : **PEEDO - DDN Blood Center**

Gentlemen: Please furnish this office the following articles subject to terms and conditons contained herein:

Date of Delivery : _____ Payment Term : **ON ACCOUNT**

Place of Delivery : **PEEDO DAVAO DEL NORTE BLOOD CENTER BLDG., (**


Delivery Term: **10 Calendar Days**

I.N.	Quantity/Unit	Item	Unit Cost	Amount
3	5.00 KITS	<ul style="list-style-type: none"> • Conjugate 1 (Mouse biotinylated monoclonal antibodies against capsid HCV antigen) • Conjugate 2 (Mouse antibodies directed against human IgG/peroxidase and streptavidin/peroxidase) • Substrate buffer • Chromogen: TMB solution • Stopping solution GENSCREEN ULTRA HIV Ag/Ab; 480T <ul style="list-style-type: none"> • Micro plate strips (coated with monoclonal antibodies to P24 HIV-1 (mouse) and purified HIV-1 and HIV-2 antigens) • Concentrated washing solution • Negative control • Antibody Positive control (Human plasma positive for anti-HIV-1 antibodies) • Antigen positive control (Purified HIV-1 antigen inactivated) • Conjugate 1 (Biotinylated polyclonal antibodies to P24 HIV-1 sheep) • Conjugate 2 (Lyophilized peroxidase labelled Streptavidin and purified HIV-1 and HIV-2 antigens) • Conjugate diluent • Substrate buffer • Chromogen: TMB solution • Stopping solution 	45,000.00	225,000.00

FOR USE OF PEEDO DAVAO DEL NORTE BLOOD CENTER
LABORATORY FOR SECOND QUARTER

In case of failure to make the full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed.

I hereby conform that **NOTICE TO DELIVER** shall be served to the **PLACE OF DELIVERY** stated herein three (3) days before the actual delivery of the item/s covered by this Purchase Order.

Conforme :


 (Signature over printed name)
 8/20/2022

 (Date)

Very truly yours,


EDWIN T. JUBAHIB
 Governor

NOTE: This is an important paper and will cause great inconvenience if lost. Claim for payment from the Provincial Treasurer supported by this form to be attached to the voucher.

ALEJANDRO R. OMILA JR.

PURCHASE ORDER

Supplier : **LIFELINE DIAGNOSTICS SUPPLIES INC.**

P.O. Number: 2022083529

Address : **QUEZON CITY**



O20220835295B2499316

PhilGEPS Registration No. : **2003101887196914976**

Tel./Fax No. : **632 83765917**

Registration Certificate : **DTI**

Date : **Jul 25, 2022**

P.R. No. : **2022063701**

Procurement mode: **Competitive Bidding**

Req. Office : **PEEDO - DDN Blood Center**

Gentlemen: Please furnish this office the following articles subject to terms and conditons contained herein:

Date of Delivery : _____ Payment Term : **ON ACCOUNT**

Place of Delivery : **PEEDO DAVAO DEL NORTE BLOOD CENTER BLDG., (**

Delivery Term: **10 Calendar Days**

I.N.	Quantity/Unit	Item	Unit Cost	Amount
4	5.00 KITS	TREPSURE; 960T <ul style="list-style-type: none">• Micro plate strips (coated with specific recombinant treponemal antigens)• Concentrated washing solution• Negative control (Human)• Calibrator (Human)• Conjugate (Conjugated with specific recombinant treponemal antigens)• Substrate• Stopping solution	62,000.00	310,000.00
5	5.00 KITS	MICROLISA PAN MALARIA Ag EIA <ul style="list-style-type: none">• Malaria Test is one step process (no manual lysis step)• Micro plate strips (coated with monoclonal anti-pLDH antibody)• Concentrated washing solution• Negative control• Positive control• Enzyme Conjugate (Streptavidin HRP)• Conjugate Diluent• Antibody Reagent (Biotinylated anti-pLDH antibody)• Sample Diluents• Substrate• Stopping solution	56,000.00	280,000.00

Remarks :

**FOR USE OF PEEDO DAVAO DEL NORTE BLOOD CENTER
LABORATORY FOR SECOND QUARTER**

In case of failure to make the full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed.

I hereby conform that **NOTICE TO DELIVER** shall be served to the **PLACE OF DELIVERY** stated herein three (3) days before the actual delivery of the item/s covered by this Purchase Order.

Conforme :

Iza Lourdes J. Pasion
(Signature over printed name)
8/30/2022
(Date)

Very truly yours,


Edwin I. Jubahib
EDWIN I. JUBAHIB
Governor

NOTE: This is an important paper and will cause great inconvenience if lost. Claim for payment from the Provincial Treasurer supported by this form to be attached to the voucher.

ALEJANDRO R. OMILA JR.



PURCHASE ORDER

Supplier : LIFELINE DIAGNOSTICS SUPPLIES INC.	P.O. Number: 2022083529
Address : QUEZON CITY	
PhilGEPS Registration No. : 2003101887196914976	O20220835295B2499316
Tel./Fax No. : 632 83765917	Date : Jul 25, 2022
Registration Certificate : DTI	P.R. No. : 2022063701
Req. Office : PEEDO - DDN Blood Center	Procurement mode: Competitive Bidding

Gentlemen: Please furnish this office the following articles subject to terms and conditons contained herein:

Date of Delivery : _____	Payment Term : ON ACCOUNT
Place of Delivery : PEEDO DAVAO DEL NORTE BLOOD CENTER BLDG., (Delivery Term: 10 Calendar Days

I.N.	Quantity/Unit	Item	Unit Cost	Amount
------	---------------	------	-----------	--------


- 10 CAL. DAYSRemarks : Other Requirements
- All reagents should be compatible with the tie-up EIA micro plate analyzer.
 - Controls, Calibrators and other Accessories must be included.
 - Must have proven good track records and have more than 30 installations to different major blood banks / blood centers nationwide.
 - Must be included in the list of test kits as to the guidance for referral of blood sample for confirmatory set by NRL-NVBSP (Department Circular No. 2012-0198).
 - Local Distributor must be ISO 9001>2008 Certified.
 - Distributor must do repairs and routine maintenance of the EIA machine.
 - All costs of parts and labor for wear and tear of the EIA machine will be on the account of the Distributor.
 - The Distributor shall train the operator of the machine (medical technologists) on how to:
 - Operate the instrument on a daily basis
 - Set up an initiate an assay run
 - Handle / store kits
 - Operate the software
 - Properly maintain the machine
 - Result interpretation
 - Troubleshooting
- NOTE:
-All deliveries of supplies must be at least 1 year or more to its expiry date.
-Reagents clarification/specification refer to R.O.

The award is based on Abstract No. **0720223320** created on **July 08, 2022** and resolved on **July 25, 2022** under Quotation No. **20223984B** opened on **July 04, 2022**

FOR USE OF PEEDO DAVAO DEL NORTE BLOOD CENTER LABORATORY FOR SECOND QUARTER	
Grand Total Amount in Words : ONE MILLION SIX HUNDRED NINETY-THREE THOUSAND AND XX / 100	GRAND TOTAL : ₱ 1,693,000.00

In case of failure to make the full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed.

I hereby conform that **NOTICE TO DELIVER** shall be served to the **PLACE OF DELIVERY** stated herein three (3) days before the actual delivery of the item/s covered by this Purchase Order.

Conforme :


 (Signature over printed name)
 8/30/2022

 (Date)

Very truly yours,


EDWIN I. JUBAHIB
 Governor

NOTE: This is an important paper and will cause great inconvenience if lost. Claim for payment from the Provincial Treasurer supported by this form to be attached to the voucher.

ALEJANDRO R. OMILA JR.